J. Space Weather Space Clim. 2019, **9**, A10
© T. Sato et al., Published by EDP Sciences 2019
https://doi.org/10.1051/swsc/2019009

JSWSC

Available online at:
www.swsc-journal.org

CORRECTION NOTICE OPEN ACCESS

Correction Notice to: Nowcast and forecast of galactic cosmic ray (GCR) and solar energetic particle (SEP) fluxes in magnetosphere and ionosphere – Extension of WASAVIES to Earth orbit

Tatsuhiko Sato[1,*] Ryuho Kataoka[2,3], Daikou Shiota[4,5], Yûki Kubo[4], Mamoru Ishii[4], Hiroshi Yasuda[6], Shoko Miyake[7], Yoshizumi Miyoshi[5], Haruka Ueno[8], and Aiko Nagamatsu[8]

[1] Japan Atomic Energy Agency (JAEA), Shirakata 2-4, Tokai, Ibaraki 319-1195, Japan
[2] National Institute of Polar Research (NIPR), Midori-cho, Tachikawa, Tokyo 190-8518, Japan
[3] SOKENDAI, Midori-cho, Tachikawa, Tokyo 190-8518, Japan
[4] National Institute of Information and Communications Technology (NICT), Nukui-Kitamachi 4-2-1, Koganei, Tokyo 184-0015, Japan
[5] Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan
[6] Hiroshima University, Kasumi 1-2-3, Minami-ku, Hiroshima 734-8553, Japan
[7] National Institute of Technology, Ibaraki College, Nakane 866, Hitachinaka, Ibaraki 312-8508, Japan
[8] Japan Aerospace Exploration Agency (JAXA), Sengen 2-1-1, Tsukuba, Ibaraki 305-8505, Japan

The online version of the article can be found under: J. Space Weather Space Clim. 2019, 9, A9,
https://doi.org/10.1051/swsc/2019006

Received 14 March 2019 / Accepted 15 March 2019

Errors have been introduced in Table 2. Please find below the corrected Table 2. The publishers apologize for the inconvenience.

Table 2. Total doses calculated by integrating the data shown in Fig. 7 over 24 h from flare onset.

	GLE 69			GLE 70		
	GCR	SEP	Total	GCR	SEP	Total
RBM dose in ISS (μGy)	63.3	48.0	111	93.5	94.6	188
RBM dose equivalent in ISS (μSv)	143	77.9	221	219	151	370
Effective dose at 12 km (μSv)	113	297	410	184	88.3	272

Cite this article as: Sato T, Kataoka R, Shiota D, Kubo Y, Ishii M, et al. 2019. Correction Notice to: Nowcast and forecast of galactic cosmic ray (GCR) and solar energetic particle (SEP) fluxes in magnetosphere and ionosphere – Extension of WASAVIES to Earth orbit. *J. Space Weather Space Clim.* **9**, A10.

*Corresponding author: sato.tatsuhiko@jaea.go.jp