

# Portuguese eyewitness accounts of the great space weather event of 1582

Víctor M. Sánchez Carrasco<sup>1,2,\*</sup> and José Manuel Vaquero<sup>2,3</sup>

<sup>1</sup> Departamento de Física, Universidad de Extremadura, 06071 Badajoz, Spain

<sup>2</sup> Instituto Universitario de Investigación del Agua, Cambio Climático y Sostenibilidad (IACYS), Universidad de Extremadura, 06006 Badajoz, Spain

<sup>3</sup> Departamento de Física, Universidad de Extremadura, 06800 Mérida, Spain

Received 13 December 2019 / Accepted 20 January 2020

**Abstract**—Newly discovered descriptions about the great aurora observed in March 1582 are presented in this work. These records were made by Portuguese observers from Lisbon. Both records described the aurora like a great fire in the northern part of the sky. It was observed during three consecutive nights, according to one of the sources. Thus, we present a discussion of these auroral records in order to complement other works that studied the aurora sighted in March 1582.

**Keywords:** aurora / solar activity / extreme events / historical records / Portugal / 1582

## 1 Introduction

The interest in space weather and climate has been increased because of its influence on our planet in general and on our technological society in particular. Solar activity can be shown in multiple ways (Usoskin, 2017). Some of them would be the number of sunspots appearing on the solar photosphere and the formation of auroras in the atmosphere of our planet (Vaquero & Vázquez, 2009). Thus, auroras can be used as a proxy for the study of past solar activity.


Aurora has been a phenomenon of general interest (not only from a scientific point of view) and, for that reason, it has been recorded for millennia. There are available catalogues including auroral records made millennia ago (for example, Fritz, 1873; Yau et al., 1995). Recently, Hayakawa et al. (2019c) have identified in the Assyrian astrological reports the earliest candidate recorded around 660 BCE. Furthermore, several extreme space weather events have been studied from the auroral and geomagnetic records. For example, Vázquez et al. (2016) studied auroral events from 1600 to the present finding significant long-term variations in the space-time distribution of auroras and Lefèvre et al. (2016) showed a detailed analysis of data related with historical extreme geomagnetic storms for the period 1868–2010. We highlight that auroras were even sighted lower than 20° in latitude during the Carrington event in 1859 which is considered as one of the most extreme space weather events reported (Carrington, 1859; Cliver & Svalgaard, 2004; Hayakawa et al., 2019b).

Another example of an extreme space weather event occurred in 1582 (Kentaro et al., 2019). Hattori et al. (2019), based on auroral records in East Asia, estimated that this severe storm occurred on 8 March 1582 and was comparable with other more recent magnetic storms as, for example, those in 1909 (Hayakawa et al., 2019a) and 1989 (Allen et al., 1989). Hattori et al. (2019) also indicated that the duration of this storm could be three days. Very few records from South Europe are available for this event. In fact, the only record made in the Iberian Peninsula corresponds to one auroral record made in Madrid on 6 March 1582 (Hattori et al., 2019). We here present two auroral records made in Portugal of this severe space weather event in order to complement the space-time distribution of the study made by Hattori et al. (2019). Section 2 includes the original records and a brief discussion is given in Section 3, and conclusion in Section 4.

## 2 Auroral records

We found two records made in Portugal that include descriptions about the aurora of March 1582. We note that dates included in these records are in Julian calendar, the current calendar at that time. The first one is preserved at the District Archive of Évora [Arquivo Distrital de Évora], Portugal. In the manuscript “Cod. Cv/1-27 d.”, we can read the following text: “[Lisboa] Na era de 1582 aos seis dias do mes de março apareceu o grande fogo no ceo ha parte do norte e durou tres noites” [English translation is: “[Lisbon] In 1582, on 6 March, a great fire appeared in the sky at the north and lasted three nights”].

\*Corresponding author: [vmcarrasco@unex.es](mailto:vmcarrasco@unex.es)



**Fig. 1.** European locations where aurora was recorded on (a) 6, (b) 7, and (c) 8 March 1582 according to Hattori et al. (2019) (red dots) and this work (green dots) (modified from Hattori et al. 2019).

Other Portuguese records about this aurora can be found in a manuscript entitled “Memorial de Pero Ruiz Soares”, a Portuguese chronicle by Soares (1953, p. 200). In this case, the description does not include the exact Portuguese location where this aurora was sighted. However, we can see Soares (1953) indicates in the preface that noteworthy which occurred at Lisbon are described in this documentary source. Thus, we can suppose that the record of this aurora was made in Lisbon. The transcription of the auroral records included in this documentary source is: “[...] em março logo seguinte da era de 1582 hua terça-feira<sup>a</sup> a noute as 8 oras Comesou no çeo na banda do norte [...] toda aquella parte do çeo ardendo em chamas de fogo que paressia arder ho mesmo çeo [...] e não auia pessoa que se acordasse uer outro tal [...] sobre a meya noute ueyo ter sobre o Castelo donde botou grãdes Rayos de labaredas de fogo que metia pavor e medo e logo ao outro dia fes o mesmo e as mesmas oras mas ia não tão grande nem tam temerario e não auia pessoa que não saisse ao Campo a uer este tam grande sinal [...]”. The English translation of this description is: “[...] in March 1582, at 8 p.m. on Tuesday [6th March], something started in the north band of the sky [...] all that part of the sky appeared burning in fire flames; it seemed that the sky was burning [...] and nobody remembered having seen something like that [...] at midnight, great fire rays arose above the castle which were dreadful and fearful. The following day, it happened the same at the same hour but it was not so great and terryfying. Everybody went to the countryside to see this great sign [...]”.

### 3 Analysis and discussion

Auroras can be observed occasionally at mid and low latitudes due to strong geomagnetic storms (Carrington, 1859; Allen et al., 1989; Akasofu, 2007; Hayakawa et al., 2018). In the Iberian Peninsula, we can highlight the systematic records of auroras observed in Lisbon in the late 18th century (Vaquero & Trigo, 2005) and in Barcelona during the period 1780–1825 (Vaquero et al., 2010). Moreover, there is a catalogue published by Vaquero et al. (2003) about the auroras sighted in the Iberian Peninsula for the 18th century and the first half of the 19th century (1700–1855) and also a catalogue by Aragonès & Ordaz (2010) covering only the 18th Century. Other auroral observations made in the Iberian Peninsula were studied by Farrona et al. (2011) and Carrasco et al. (2017, 2018).

According to both documentary sources reported in this work, the aurora observed in March 1582 was sighted in Lisbon. Figure 1 depicts the European places where aurora was recorded according to Hattori et al. (2019) in addition to the records made in Lisbon reported here. It implies that the records made in Lisbon were the southernmost observation recorded in Europe about the aurora of 1582. We note that this fact does not mean the aurora was necessarily at the latitude of Lisbon since aurora seen at Lisbon could be occurring a few hundred kilometers north of Lisbon. Both descriptions reported that the event started on 6 March and could be seen during three nights (according to the first record presented) and two nights (according to the manuscript by Pero Ruiz Soares). Furthermore, this last report indicates that the start time of this event was 8 p.m. (local time) on 6 March 1582. We note that the full moon closest to the period 6–8 March 1582 was on 9 March 1582. Thus, we can consider that this aurora was sighted during a period of almost full moon. This fact gives an idea of the light of the aurora. The two records situated the aurora in the northern sky and described the aurora like a large fire increasing its size during the night. Therefore, we can deduce that the color of the aurora was reddish. Typical auroras show red color of a forbidden line of atomic oxygen at 630.0 nm at high altitudes (>200 km) and, moreover, the stable auroral red arcs can be visible at mid latitude in large geomagnetic storms (Rees & Roble, 1975; Kozyra et al., 1997; Hayakawa et al., 2015). We highlight that the second auroral description presented indicates that this aurora was sighted during two nights but the brightness of the auroral light during the second night was lower than in the first one. Furthermore, according to the five criteria defined by Neuhäuser & Neuhäuser (2015) to classify the likelihood of the event to be an aurora (color, auroral motion, direction, night-time observation, and repetition), the descriptions here presented fulfill all criteria. Therefore, the observation of an aurora would be “almost certain” according to Neuhäuser & Neuhäuser (2015) classification.

### 4 Conclusions

We have found two texts containing descriptions of the great aurora sighted in March 1582 in Lisbon (Portugal). We present a discussion of these records in order to complement the work about this space weather event made by Hattori et al. (2019). Lisbon would represent the southernmost European

location where this aurora was recorded according to the historical data available, together with Madrid where this aurora was also observed. The aurora was observed during three and two nights in accordance to the first and second record presented, respectively. According to both descriptions, the aurora was observed in the northern part of the sky like a fire flames. Therefore, we deduce that the color of the aurora was red. It occurred during a full moon period and this fact would indicate a large brightness of the aurora resulting from the geomagnetic storm. Thus, the two descriptions of the aurora agree with the most favorable criterion (“almost certain”) regarding the aurora sightings according to Neuhäuser & Neuhäuser (2015) classification.

**Acknowledgements.** This research was supported by the Economy and Infrastructure Counselling of the Junta of Extremadura through project IB16127 and grant GR18097 (co-financed by the European Regional Development Fund) and by the Ministerio de Economía y Competitividad of the Spanish Government (CGL2017-87917-P).

## Disclosure of potential conflicts of interest

The authors declare that they have no conflicts of interest.

## References

- Akasofu S-I. 2007. *Exploring the secrets of the aurora*, Springer, Berlin.
- Allen J, Frank L, Sauer H, Reiff P. 1989. Effects of the March 1989 Solar Activity. *EOS* **70**: 1479. <https://doi.org/10.1029/89EO00409>.
- Aragonès E, Ordaz J. 2010. Auroras boreales observadas en la Península Ibérica, Baleares y Canarias durante el siglo XVIII. *Treb Mus Geol Barcelona* **17**: 45.
- Carrasco VMS, Trigo RM, Vaquero JM. 2017. Unusual rainbows as auroral candidates: Another point of view. *Publ Astron Soc Jpn* **69**: L1. <https://doi.org/10.1093/pasj/psw127>.
- Carrasco VMS, Aragonès E, Ordaz J, Vaquero JM. 2018. The Great Aurora of January 1770 observed in Spain. *Hist. Geo Space Sci* **9**: 133. <https://doi.org/10.5194/hgss-9-133-2018>.
- Carrington RC. 1859. Description of a singular appearance seen in the Sun on September 1, 1859. *MNRAS* **20**: 13. <https://doi.org/10.1093/mnras/20.1.13>.
- Cliver EW, Svalgaard L. 2004. The 1859 solar-terrestrial disturbance and the current limits of extreme space weather activity. *Sol Phys* **224**: 407. <https://doi.org/10.1007/s11207-005-4980-z>.
- Farrona AMM, Gallego MC, Vaquero JM, Domínguez-Castro F. 2011. Spanish eyewitness accounts of the great space weather event of 1859. *Acta Geod Geoph Hung* **46**: 370. <https://doi.org/10.1556/AGeod.46.2011.3.7>.
- Fritz H. 1873. *Verzeichniss Beobachteter Polarlichter*, C. Gerold's Sohn, Vienna.
- Hattori K, Hayakawa H, Ebihara Y. 2019. Occurrence of Great Magnetic Storms on 6–8 March 1582. *MNRAS* **487**: 3550. <https://doi.org/10.1093/mnras/stz1401>.
- Hayakawa H, Tamazawa H, Kawamura AD, Isobe H. 2015. Records of sunspot and aurora during CE 960–1279 in the Chinese chronicle of the Song dynasty. *Earth Planets Space* **67**: 82. <https://doi.org/10.1186/s40623-015-0250-y>.
- Hayakawa H, Ebihara Y, Vaquero JM, Hattori K, Carrasco VMS, et al. 2018. A great space weather event in February 1730. *A&A* **616**: A177. <https://doi.org/10.1051/0004-6361/201832735>.
- Hayakawa H, Ebihara Y, Cliver EW, Hattori K, Toriumi S, et al. 2019a. The extreme space weather event in September 1909. *MNRAS* **484**: 4083. <https://doi.org/10.1093/mnras/sty3196>.
- Hayakawa H, Ebihara Y, Willis DM, Toriumi S, Iju T, et al. 2019b. Temporal and spatial evolutions of a large sunspot group and great auroral storms around the Carrington event in 1859. *Space Weather* **17**: 1553. <https://doi.org/10.1029/2019SW002269>.
- Hayakawa H, Mitsuma Y, Ebihara Y, Miyake F. 2019c. The earliest candidates of auroral observations in Assyrian Astrological Reports: Insights on solar activity around 660 BCE. *ApJ* **884**: L18. <https://doi.org/10.3847/2041-8213/ab42e4>.
- Kentaro H, Hayakawa H, Ebihara Y. 2019. Occurrence of great magnetic storms on 6–8 March 1582. *MNRAS* **487**: 3550. <https://doi.org/10.1093/mnras/stz1401>.
- Kozyra JU, Nagy AF, Slater DW. 1997. High-altitude energy source (s) for stable auroral red arcs. *Rev Geophys* **35**: 155. <https://doi.org/10.1029/96RG03194>.
- Lefèvre L, Vennerstrøm S, Dumbović M, Vršnak B, Sudar D, Arlt R, Clette F, Crosby N. 2016. Detailed analysis of solar data related to historical extreme geomagnetic storms: 1868–2010. *Sol Phys* **291**: 1483. <https://doi.org/10.1007/s11207-016-0892-3>.
- Neuhäuser R, Neuhäuser DL. 2015. Solar activity around AD 775 from aurorae and radiocarbon. *Astron Nach* **336**: 225. <https://doi.org/10.1002/asna.201412160>.
- Rees MH, Roble RG. 1975. Observations and theory of the formation of stable auroral red arcs. *Rev Geophys* **13**: 201. <https://doi.org/10.1029/RG013i001p00201>.
- Soares PR. 1953. *Memorial de Pero Roiz Soares*, Universidade de Coimbra, Coimbra.
- Usoskin IG. 2017. A history of solar activity over millennia. *Living Rev Solar Phys* **14**: 3. <https://doi.org/10.1007/s41116-017-0006-9>.
- Vaquero JM, Trigo RM. 2005. Auroras Observed in Portugal in Late 18th Century Obtained from Printed and Manuscript Meteorological Observations. *Sol Phys* **231**: 157. <https://doi.org/10.1007/s11207-005-1583-7>.
- Vaquero JM, Vázquez M. 2009. *The Sun Recorded Through History*, Springer. <https://doi.org/10.1007/978-0-387-92789-3>.
- Vaquero JM, Gallego MC, García JA. 2003. Auroras in the Iberian Peninsula (1700–1855) from Rico Sinobas' Catalogue. *JASTP* **65**: 677. [https://doi.org/10.1016/S1364-6826\(03\)00075-0](https://doi.org/10.1016/S1364-6826(03)00075-0).
- Vaquero JM, Gallego MC, Barriandos M, Rama E, Sánchez-Lorenzo A. 2010. Francisco Salvá's auroral observations from Barcelona during 1780–1825. *Adv Space Res* **45**: 1388. <https://doi.org/10.1016/j.asr.2010.02.009>.
- Vázquez M, Vaquero JM, Gallego MC, Roca Cortés T, Pallé PL. 2016. Long-Term Trends and Gleissberg Cycles in Aurora Borealis Records (1600–2015). *Sol Phys* **291**: 613. <https://doi.org/10.1007/s11207-016-0849-6>.
- Yau KKC, Stephenson FR, Willis DM. 1995. *A catalogue of auroral observations from China, Korea and Japan (193 B.C. – A.D. 1770)*. Rutherford Appleton Laboratory, Chilton.

**Cite this article as:** Sánchez Carrasco VM & Vaquero JM 2020. Portuguese eyewitness accounts of the great space weather event of 1582. *J. Space Weather Space Clim.* **10**, 4.